



AUDIO & VIDEO KIT CATALOGUE

2017



 **VIDEX®**

THE POWER TO SECURE

AUDIO & VIDEO KIT CATALOGUE

2017

Audiokits page 5



Part number composition	page 6
Symbols legend	page 6
Glossary	page 6
Packaging guide	page 7

Videokits page 27



Part number composition	page 28
Symbols legend	page 28
Glossary	page 28
Packaging guide	page 29

Outdoor stations

8000 Series	page 54
4000 Series	page 56
Smart, Mini and Slim Series	page 58

Indoor stations

6200, 6300, 6400 and 6700 Series	page 59
Kristallo® Series	page 60
3600 and 5000 Series	page 61



THE POWER TO SECURE



made in
ITALY

Founded in 1986, Videx designs and manufactures video/audio door entry systems and access controls, standing among the leading companies in the field worldwide.

The variety of the range, quality, service, and the continuity of a purely "Made in Italy" brand have been key factors for Videx Success through its 30 years history.

Our Company exports 95% of the production to more than 45 countries all over the world, offering unique solutions ranging from one or two way systems to complex systems with thousands of apartments.

Videx manufactures using only the highest quality components from a select number of well established Italian companies in order to guarantee the highest standards. Our quality control procedures ensure we deliver a first class product to our customers.

VIDEX have been UNI ISO 9001 certified since 2005.

VIDEX is socially and environmentally responsible, producing its own clean energy and using it to run its purpose build factory: two solar panel systems, accounting for 200Kw power, entirely fulfil its needs. Solar panels have been installed on the plant roof ensuring zero environmental impact.







AUDIOKITS

8000 SERIES		PAGE
8K	STANDARD 3+1 AUDIO	8
8KC Digiphone	STANDARD 3+1 AUDIO DIGITAL CODELOCK	9
IK8K Interkit	STANDARD 4+1 AUDIO INTERCOMMUNICATING	10
 4000 SERIES		
4K	STANDARD 3+1 AUDIO	11
4KC Digiphone	STANDARD 3+1 AUDIO CODELOCK UNIT	12
4KX Vproxphone	STANDARD 3+1 AUDIO PROXIMITY READER	13
GSM4K	GSM PROXIMITY READER	14
GSM4KC Digiphone	GSM PROXIMITY READER CODELOCK UNIT	15
LTGSM4K	GSM	16
LTGSM4KC Digiphone	GSM CODELOCK UNIT	17
GSMVRK	GSM VANDAL RESISTANT	18
GSMVRKC Digiphone	GSM VANDAL RESISTANT CODELOCK UNIT	19
VRK	STANDARD 4+1 AUDIO VANDAL RESISTANT	20
VRKC Digiphone	STANDARD 4+1 AUDIO VANDAL RESISTANT CODELOCK UNIT	21
 SMART, MINI & SLIM SERIES		
SMK Smart Kit	STANDARD 3+1 AUDIO	22
ESK Easy Kit	2 WIRE BUS	23
MK Mini Kit	STANDARD 4+1 AUDIO	24
SLK Slim Kit	STANDARD 3+1 AUDIO	25

Part number composition

OUTDOOR STATION

AUDIOKIT

8K

8K
8KC
IK8K
4K
4KC
4KX
GSM4K
GSM4KC
LTGSM4K
LTGSM4K
GSMVRK
GSMVRKC
VRK
VRKC
SMK
ESK
MK
SLK

CALL BUTTONS AND MOUNTING

-1S

-1: One way, flush
-1S: One way, surface
-2: Two ways, flush
-2S: Two ways, surface

Flush option is not available for SLK audiokit

-2 and -2S options are not available for ESK and SLK audiokits

FRONT PLATE FINISH

/A

8000 SERIES AUDIOKITS:
none: Mirror stainless steel
/A: Aluminium

4000 SERIES AUDIOKITS:
none: Mirror stainless steel
/A: Anodized aluminium
/HB: PVD high brass

SUPPORT FINISH

/BL

8000 SERIES AUDIOKITS:
none: Aluminium
/BL: Black

4000 SERIES AUDIOKITS:
none: Embossed metallized gun metal grey
/C: Silver Chromium plating
/G: Gold Chromium plating

SMART AND MINI SERIES AUDIOKITS:
/A: Aluminium
/G: Gold
/W: White

Symbols legend

System connection



**STANDARD
3+1 AUDIO**



**STANDARD
4+1 AUDIO**



GSM



**2 WIRE
AUDIO**

Outdoor station features



**Vandal
resistant**



**Proximity
reader**



**Codelock
unit**



Intercommunicating

Glossary

Busy LED	Advise that the system is busy i.e. multiple entrance system
Ring LED	Advise that the call is in progress
Speak LED	Advise that the conversation has started
Door open LED	Advise that the door is open
ON LED	Advise that the videophone is switched ON
Service button	A button used to enable an additional service, may require an additional connection
Privacy	Service that allows to temporarily disable the call
Intercommunicating call	Service to start an intercommunication
Camera recall	Service to power up the system and see the camera in stand by
Push to talk	service to enable the "push to talk" communication mode

INDOOR STATION

INTERCOM
MODEL

/3011

Packaging guide

Colour explanation
(depending on the kit version)

4K-1	4KC-1	4K-2
8K-1	8KC-1	8K-2
GSM4K	GSM4KC	
LTGSM4K	LTGSM4KC	
GSMVRK	GSMVRKC	



Outdoor station symbols explanation

4000 Series	4000 Series Vandal resistant	8000 Series
 Speaker unit (1 module)	 Speaker unit (1 modules)	 Speaker unit (1 module)
 Speaker unit plus access control (2 modules)	 Speaker unit plus access control (2 modules)	 Speaker unit plus access control (2 modules)

8K Audiokit

One way or two way



**STANDARD
3+1 AUDIO**



	8K-1	8K-1S	8K-2	8K-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	8000 Series			
SPEAKER UNIT MODULE	1 x 8836M-1		1 x 8836M-2	
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 8851	1 x 8881	1 x 8851	1 x 8881
PROTECTIVE FRAME	1 x 8861	—	1 x 8861	—
RAINSHIELD OPT. ¹	8871	—	8871	—
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3011		2 x 3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm		40x29.5x7cm	
WEIGHT	1.4Kg	1.8Kg	1.7Kg	2.2Kg



¹ To be ordered separately

8KC Digiphone Kit

One way or two way audiokit
with codelock





**STANDARD
3+1 AUDIO**



**Codelock
unit**

8KC-1S/A/BL



	8KC-1	8KC-1S	8KC-2	8KC-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	8000 Series			
SPEAKER UNIT MODULE	1 x 8836M-1		1 x 8836M-2	
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x 8800			
CODES / RELAYS	2 / 2			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 8852	1 x 8882	1 x 8852	1 x 8882
PROTECTIVE FRAME	1 x 8862	—	1 x 8862	—
RAINSIELD OPT. ¹	8872	—	8872	—
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3011		2 x 3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm		40x29.5x7cm	
WEIGHT	2.1Kg	2.6Kg	2.8Kg	3.3Kg

¹ To be ordered separately



IK8K Interkit

One way or two way
intercommunicating audiokit



STANDARD
4+1 AUDIO

Intercom.



	IK8K-1	IK8K-1S	IK8K-2	IK8K-2S
CONNECTION	STANDARD 4+1 AUDIO			
OUTDOOR STATION	8000 Series			
SPEAKER UNIT MODULE	1 x 8836I-1		1 x 8836I-2	
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 8851	1 x 8881	1 x 8851	1 x 8881
PROTECTIVE FRAME	1 x 8861	—	1 x 8861	—
RAINSIELD OPT. ¹	8871	—	8871	—
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	2 x 3002			
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	2: Door open, Service			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	2.1Kg	2.2Kg	2.1Kg	2.2Kg

SPECIAL FEATURES	
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement

¹ To be ordered separately



4K Audiokit

One way or two way



STANDARD
3+1 AUDIO

4K-1S



	4K-1	4K-1S	4K-2	4K-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4836-1		1 x 4836-2	
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ¹	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3011		2 x 3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm		40x29.5x7cm	
WEIGHT	2Kg	2.3Kg	2.3Kg	2.6Kg



¹ To be ordered separately

4KC Digiphone Kit



One way or two way audiokit with codelock



**STANDARD
3+1 AUDIO**



**Codelock
unit**



	4KC-1	4KC-1S	4KC-2	4KC-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4836-1		1 x 4836-2	
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x 4800M			
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ¹	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3011		2 x 3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm		40x29.5x7cm	
WEIGHT	2.4Kg	2.8Kg	2.7Kg	3.1Kg

¹ To be ordered separately



4KX Vproxphone Kit

One way or two way audiokit
with proximity reader



**STANDARD
3+1 AUDIO**



**Proximity
reader**

4KX-1S



	4IKX-1	4IKX-1S	4IKX-2	4IKX-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4836-1		1 x 4836-2	
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry			
CALL	Electronic Call Tone			
PROXIMITY READER UNIT	1 x 4850			
KEYS / RELAYS	up to 100 / 1			
LED	Yes			
FOPS	3 x 955/C card format		6 x 955/C card format	
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ¹	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3011		2 x 3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm		40x29.5x7cm	
WEIGHT	2.9Kg	3.3Kg	3.2Kg	3.6Kg

¹ To be ordered separately

GSM4K PRO GSM Audiokit

One way or two way GSM audiokit
with integrated proximity access control



	GSM4K-1	GSM4K-1S	GSM4K-2	GSM4K-2S
CONNECTION	GSM 2G			
OUTDOOR STATION	4000 Series			
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4810-1		1 x 4810-2	
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO			
CALL	Electronic Call Tone			
KEYS / RELAYS	Up to 1000 / 1			
FOBS	3 x 955/T tag format			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT.¹	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 X 433			
ACCESSORIES	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			
MOUNTING	DIN bar			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	1.2Kg	1.5Kg	1.2Kg	1.5Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 50
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	Up to 1000 users
VOICE ANNUNCIATION	Yes
CALL PROGRESS LED'S	Yes, 4
PROGRAMMING	SMS/USB
PUSH TO EXIT INPUT	Yes, 1
AUXILIARY INPUT	Yes, 2
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 2
LOCK OUTPUT	Dry contact relay
INPUT VOLTAGE	12-24V ac/dc
EVENT LOG	Yes, 4000 Events
BOOTLOADER	Yes
USB PORT	Yes, micro
TIMEBANDS	Yes, 1

¹ To be ordered separately

GSM4KC PRO GSM Digiphone Kit

One way or two way GSM audiokit with integrated proximity access control and codelock



GSM



Proximity reader



Codelock unit

GSM4KC-1S/A



	GSM4KC-1	GSM4KC-1S	GSM4KC-2	GSM4KC-2S
CONNECTION	GSM 2G			
OUTDOOR STATION	4000 Series			
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4810-1		1 x 4810-2	
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO			
CALL	Electronic Call Tone			
KEYS / RELAYS	up to 1000 / 1			
CODELOCK UNIT	1 x 4800M			
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ¹	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 X 433			
ACCESSORIES	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			
MOUNTING	DIN bar			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	1.6Kg	2Kg	1.6Kg	2Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 50
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	Up to 1000 users
VOICE ANNUNCIATION	Yes
CALL PROGRESS LED'S	Yes, 4
PROGRAMMING	SMS/USB
PUSH TO EXIT INPUT	Yes, 1
AUXILIARY INPUT	Yes, 2
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 2
LOCK OUTPUT	Dry contact relay
INPUT VOLTAGE	12-24V ac/dc
EVENT LOG	Yes, 4000 Events
BOOTLOADER	Yes
USB PORT	Yes, micro
TIMEBANDS	Yes, 1

¹ To be ordered separately

LTGSM4K LITE GSM Audiokit

One way or two way GSM audiokit



	LTGSM4K-1	LTGSM4K-1S	LTGSM4K-2	LTGSM4K-2S
CONNECTION	GSM 2G			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4811-1		1 x 4811-2	
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ¹	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 X 433			
ACCESSORIES	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/A	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			
MOUNTING	DIN bar			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	1.1Kg	1.1Kg	1.4Kg	1.4Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 4
TELEPHONE NUMBERS PER BUTTON	2
DIAL TO OPEN NUMBERS	100
INTEGRATED PROXIMITY ACCESS	None
VOICE ANNUNCIATION	None
CALL PROGRESS LED'S	None
PROGRAMMING	SMS
PUSH TO EXIT INPUT	Yes, 1
AUXILIARY INPUT	Yes, 2
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 1
LOCK OUTPUT	Dry contact relay
INPUT VOLTAGE	12-24V ac/dc
EVENT LOG	None
BOOTLOADER	None
USB PORT	None
TIMEBANDS	None

¹ To be ordered separately

LTGSM4KC LITE GSM Digiphone Kit

One way or two way GSM audiokit with codelock



LTGSM4KC-1S/A



	LTGSM4KC-1	LTGSM4KC-1S	LTGSM4KC-2	LTGSM4KC-2S
CONNECTION	GSM 2G			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4811-1		1 x 4811-2	
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x 4800M			
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ¹	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 X 433			
ACCESSORIES	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			
MOUNTING	DIN bar			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	1.5Kg	1.5Kg	1.9Kg	1.9Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 4
TELEPHONE NUMBERS PER BUTTON	2
DIAL TO OPEN NUMBERS	100
INTEGRATED PROXIMITY ACCESS	None
VOICE ANNUNCIATION	None
CALL PROGRESS LED'S	None
PROGRAMMING	SMS
PUSH TO EXIT INPUT	Yes, 1
AUXILIARY INPUT	Yes, 2
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 1
LOCK OUTPUT	Dry contact relay
INPUT VOLTAGE	12-24V ac/dc
EVENT LOG	None
BOOTLOADER	None
USB PORT	None
TIMEBANDS	None

¹ To be ordered separately

GSMVRK GSM VR Audiokit

One way or two way
GSM vandal resistant audiokit



	GSMVRK-1	GSMVRK-1S	GSMVRK-2	GSMVRK-2S
CONNECTION	GSM 2G			
OUTDOOR STATION	4000 Series Vandal Resistant			
SPEAKER UNIT MODULE	1 x VR4KGSM-1		1 x VR4KGSM-2	
LEDs	3: Speak, Busy, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ¹	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 X 433			
ACCESSORIES	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			
MOUNTING	DIN bar			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	1.3Kg	1.6Kg	1.3Kg	1.6Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 10
TELEPHONE NUMBERS PER BUTTON	2
DIAL TO OPEN NUMBERS	250
INTEGRATED PROXIMITY ACCESS	None
VOICE ANNUNCIATION	None
CALL PROGRESS LED'S	Yes
PROGRAMMING	SMS
PUSH TO EXIT INPUT	Yes
AUXILIARY INPUT	Yes, 1
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 1
LOCK OUTPUT	Dry contact relay
INPUT VOLTAGE	12Vdc
EVENT LOG	None
BOOTLOADER	None
USB PORT	None
TIMEBANDS	None

¹ To be ordered separately

GSMVRKC GSM VR Digiphone Kit

One way or two way
GSM vandal resistant audiokit
with codelock



GSMVRKC-1S



	GSMVRKC-1	GSMVRKC-1S	GSMVRKC-2	GSMVRKC-2S
CONNECTION	GSM 2G			
OUTDOOR STATION	4000 Series Vandal Resistant			
SPEAKER UNIT MODULE	1 x VR4KGSM-1		1 x VR4KGSM-2	
LEDs	3: Speak, Busy, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x VR4KCLM-1			
CODES / RELAYS	2 / 2			
ILLUMINATION	No			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ¹	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 X 433			
ACCESSORIES	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			
MOUNTING	DIN bar			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	2Kg	2.3Kg	2Kg	2.3Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 10
TELEPHONE NUMBERS PER BUTTON	2
DIAL TO OPEN NUMBERS	250
INTEGRATED PROXIMITY ACCESS	None
VOICE ANNUNCIATION	None
CALL PROGRESS LED'S	Yes
PROGRAMMING	SMS
PUSH TO EXIT INPUT	Yes
AUXILIARY INPUT	Yes, 1
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 1
LOCK OUTPUT	Dry contact relay
INPUT VOLTAGE	12Vdc
EVENT LOG	None
BOOTLOADER	None
USB PORT	None
TIMEBANDS	None

¹ To be ordered separately

VRK Audiokit



One way or two way
vandal resistant audiokit



**STANDARD
4+1 AUDIO**



**Vandal
resistant**



	VRK-1	VRK-1S	VRK-2	VRK-2S
CONNECTION	STANDARD 4+1 AUDIO			
OUTDOOR STATION	4000 Series Vandal Resistant			
SPEAKER UNIT MODULE	1 x VR4KAM-1		1 x VR4KAM-2	
LEDs	3: Speak, Busy, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ¹	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3111		2 x 3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	2: Door open, Service			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 520M			
INPUT/OUTPUTS/VA	230Vac / 12Vdc - 8Vdc - 13Vac / 13VA			
SIZE	8 Modules A Type DIN Box (140x65x105mmmm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	2.1Kg	2.4Kg	2.4Kg	2.8Kg

¹ To be ordered separately

VRKC Digiphone Kit

One way or two way
vandal resistant audiokit
with codelock



STANDARD
4+1 AUDIO



Vandal
resistant



Codelock
unit

VRKC-1S



	VRKC-1	VRKC-1S	VRKC-2	VRKC-2S
CONNECTION	STANDARD 4+1 AUDIO			
OUTDOOR STATION	4000 Series Vandal Resistant			
SPEAKER UNIT MODULE	1 x VR4KAM-1		1 x VR4KAM-2	
LEDS	3: Speak, Busy, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x VR4KCLM-1			
CODES / RELAYS	2 / 2			
ILLUMINATION	No			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ¹	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3111		2 x 3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	2: Door open, Service			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 520M			
INPUT/OUTPUTS/VA	230Vac / 12Vdc - 8Vdc - 13Vac / 13VA			
SIZE	8 Modules A Type DIN Box (140x65x105mmmm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	40x29.5x7cm			
WEIGHT	3Kg	3.5Kg	3.3Kg	3.8Kg


¹ To be ordered separately

SMK SMART Audiokit

One way or two way



STANDARD
3+1 AUDIO



	SMK-1	SMK-1S	SMK-2	SMK-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	SMART Series			
SPEAKER UNIT	1 x 336E-1	1 x 336E-1S	1 x 336E-2	1 x 336E-2S
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay			
CALL	Electronic Call Tone			
MOUNTING	Flush	Surface	Flush	Surface
COVERING FRAME OPT. ¹	371	—	371	—
SURFACE MOUNTING BOX OPT. ¹	381	—	381	—
INDOOR STATION	1 x 3011		2 x 3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm		40x29.5x7cm	
WEIGHT	1.3Kg	1.5Kg	1.7Kg	1.9Kg




¹ To be ordered separately

ESK EASY TWO WIRE Audiokit

One way only



ESK-1S/A






	ESK-1	ESK-1S
CONNECTION	2 WIRE BUS	
OUTDOOR STATION	SMART Series	
SPEAKER UNIT	1 x 332	1 x 332S
CALL BUTTONS	1	
DOOR OPENING	Built-in Lock Relay	
CALL	Electronic Call Tone	
MOUNTING	Flush	Surface
COVERING FRAME OPT.¹	371	—
SURFACE MOUNTING BOX OPT.¹	381	—
INDOOR STATION	1 x 3151	
SERIES	3000 Series Smart Range	
CALL	Electronic Call Tone	
BUTTONS	2: Door open, Service	
CONTROLS	Call tone volume (3 Levels)	
MOUNTING	Surface	
POWER SUPPLY UNIT	1 x 321	
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA	
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)	
MOUNTING	DIN bar or direct wall fixing	
PACKAGING	Giftbox	
SIZE	29x29.5x7cm	
WEIGHT	1.3Kg	1.5Kg



¹ To be ordered separately

MK MINI Audiokit

One way or two way



	MK-1	MK-2
CONNECTION	STANDARD 4+1 AUDIO	
OUTDOOR STATION	Mini Series	
SPEAKER UNIT	1 x DU-1A	1 x DU-2A
CALL BUTTONS	1	2
DOOR OPENING	Built-in Lock Relay	
CALL	Electronic Call Tone	
MOUNTING	Flush Surface (require SMB-M¹)	
INDOOR STATION	1 x 3021	2 x 3021
SERIES	3000 Series Smart Range	
CALL	Electronic Call Tone	
BUTTONS	1: Door open	
CONTROLS	Call tone volume (3 Levels)	
MOUNTING	Surface	
POWER SUPPLY UNIT	1 x 321	
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA	
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)	
MOUNTING	DIN bar or direct wall fixing	
PACKAGING	Giftbox	
SIZE	25.5x23.5x6.5cm	29x29.5x7cm
WEIGHT	1.3Kg	1.6Kg



¹ To be ordered separately



SLK SLIM Audiokit

One way only



STANDARD
3+1 AUDIO

SLK



	SLK
CONNECTION	STANDARD 3+1 AUDIO
OUTDOOR STATION	Slim Series
SPEAKER UNIT	1 x 436
CALL BUTTONS	1
DOOR OPENING	Built-in Lock Relay
CALL	Electronic Call Tone
MOUNTING	Surface
INDOOR STATION	1 x 3011
SERIES	3000 Series Smart Range
CALL	Electronic Call Tone
BUTTONS	1: Door open
CONTROLS	Call tone volume (3 Levels)
MOUNTING	Surface
POWER SUPPLY UNIT	1 x 321
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)
MOUNTING	DIN bar or direct wall fixing
PACKAGING	Giftbox
SIZE	25.5x23.5x7cm
WEIGHT	1.5Kg





VIDEOKITS

8000 SERIES			PAGE
VK8K	6 WIRE BUS INTERCOMMUNICATING		30
VK8KC Videocode	6 WIRE BUS CODELOCK UNIT INTERCOMMUNICATING		32
4000 SERIES			
VK4K	6 WIRE BUS INTERCOMMUNICATING WIDE CAMERA OPT.		34
VK4KC Videocode	6 WIRE BUS CODELOCK UNIT INTERCOMMUNICATING WIDE CAMERA OPT.		36
VRVK	6 WIRE BUS VANDAL RESISTANT INTERCOMMUNICATING WIDE CAMERA OPT.		38
VRVKC Videocode	6 WIRE BUS VANDAL RESISTANT CODELOCK UNIT INTERCOMMUNICATING WIDE CAMERA OPT.		40
ESVK	2 WIRE BUS INTERCOMMUNICATING WIDE CAMERA OPT.		42
ESVKC Videocode	2 WIRE BUS CODELOCK UNIT INTERCOMMUNICATING WIDE CAMERA OPT.		46
ESVKX	2 WIRE BUS PROXIMITY READER INTERCOMMUNICATING WIDE CAMERA OPT.		50

Part number composition

OUTDOOR STATION

VIDEOKIT

ESVK

VK8K
VK8KC
VK4K
VK4KC
VRVK
VRVKC
ESVK
ESVKC
ESVKX

CALL BUTTONS AND MOUNTING

-1S

-1: One way, flush
-1S: One way, surface
-2: Two ways, flush
-2S: Two ways, surface

FRONT PLATE FINISH

/A

8000 SERIES VIDEOKITS:
none: Mirror stainless steel
/A: Aluminium

4000 SERIES VIDEOKITS:
none: Mirror stainless steel
/A: Anodized aluminium
/HB: PVD high brass

SUPPORT FINISH

/BL

8000 SERIES VIDEOKITS:
none: Aluminium
/BL: Black

4000 SERIES VIDEOKITS:
none: Embossed metallized gun metal grey
/C: Silver Chromium plating
/G: Gold Chromium plating

WIDE CAMERA OPT.

/WD

Only available for 4000 Series video outdoor stations

Symbols legend

System connection



**6 WIRE
BUS**



**2 WIRE
BUS**

Outdoor station features



**Vandal
resistant**



**Proximity
reader**



**Codelock
unit**



Intercommunicating



**Wide Camera
opt.**

Glossary

Busy LED	Advise that the system is busy i.e. multiple entrance system
Ring LED	Advise that the call is in progress
Speak LED	Advise that the conversation has started
Door open LED	Advise that the door is open
ON LED	Advise that the videophone is switched ON
Service button	A button used to enable an additional service, may require an additional connection
Privacy	Service that allows to temporarily disable the call
Intercommunicating call	Service to start an intercommunication
Camera recall	Service to power up the system and see the camera in stand by
Push to talk	Service to enable the "push to talk" communication mode

INDOOR STATION

VIDEOPHONE
MODEL**/KRV782****6000 SERIES:**

/6256 for videokits:
/6358 VK4K - VK4KC
/6458 VRVK - VRVK
/6758 VK8K - VK8KC

/6286
/6388 for videokits:
/6488 ESVK - ESVKC
/6788

KRISTALLO® SERIES:

/KRV86
/KRV88 for videokits:
/KRV782 ESVK - ESVKC

5000 - 3600 SERIES:

/5456 for videokits:
/3656 VK4K - VK4KC
 VRVK - VRVK
 VK8K - VK8KC

/3686 for videokits:
 ESVK - ESVKC

KRISTALLO®/5000 SERIES
VIDEOPHONE FINISHING**/W****KRISTALLO® SERIES:**

/W: White
/B: Black

5000 SERIES:

none: Gloss white
/CR: Silver
/CA: Carbon fibre effect

VIDEO MEMORY
OPT.**/VM**

Videophones with memory board facility allow, either automatically or manually, to record a picture (or a videoclip, depending on the model) of the visitor who calls. Thanks to the ability to record several images or video clips (the number depends on the model), this facility helps to ensure the safety of the users by knowing who has called.

The memory board must be requested when ordering a video phone, as it cannot be added later.

Not available for **KRV782, 3656** and **3686** videophones



Packaging guide

Colour explanation
 (depending on the indoor station)

6200	6300	6400	6700
Kristallo® 3.5" conventional	Kristallo® 3.5" hands free		Kristallo® 7"
3600	5000		



Outdoor station symbols explanation

4000 Series	4000 Series Vandal resistant	8000 Series
Camera/speaker unit (1 module)	Camera unit and speaker unit (2 modules)	Camera/speaker unit (1 module)
Camera/speaker unit plus access control (2 modules)	Camera unit, speaker unit plus access control (3 modules)	Camera/speaker unit plus access control (2 modules)



VK8K Series Videokit

One way or two way



	VK8K-1	VK8K-1S	VK8K-2	VK8K-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION	8000 Series			
SPEAKER UNIT MODULE	1 x 8833-1		1 x 8833-2	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Not available			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 8855	1 x 8885	1 x 8855	1 x 8885
RAINSHIELD	1 x 8875	—	1 x 8875	—
SIZE	1.5 module			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 850K		2 x 850K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
SIZE	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	—		1 x 316N	
PACKAGING	Giftbox			
SIZE	31x17x13cm		25.3x24.4x18.3cm	

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

6256

3.5" conventional videophone



	VK8K-1/6256	VK8K-1S/6256	VK8K-2/6256	VK8K-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3.1Kg	3.6Kg	4.3Kg	4.8Kg

VK8K/6256

6358

3.5" hands free videomonitor



	VK8K-1/6358	VK8K-1S/6358	VK8K-2/6358	VK8K-2S/6358
INDOOR STATION	1 x 6358		2 x 6358	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg

VK8K/6358

6458

4.3" hands free videomonitor



	VK8K-1/6458	VK8K-1S/6458	VK8K-2/6458	VK8K-2S/6458
INDOOR STATION	1 x 6458		2 x 6458	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg

VK8K/6458

6758

7" hands free videomonitor



	VK8K-1/6758	VK8K-1S/6758	VK8K-2/6758	VK8K-2S/6758
INDOOR STATION	1 x 6758		2 x 6758	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3.1Kg	3.6Kg	4.4Kg	4.9Kg

VK8K/6758

¹ A button can have multiple functions
² To be ordered separately

VK8KC Series Videocode

One way or two way videokit
with codelock



6 WIRE
BUS



Codelock
unit



Intercom.
unit



	VK8KC-1	VK8KC-1S	VK8KC-2	VK8KC-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION	8000 Series			
SPEAKER UNIT MODULE	1 x 8833-1		1 x 8833-2	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Not available			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x 8800			
CODES / RELAYS	2 / 2			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 8857	1 x 8887	1 x 8857	1 x 8887
RAINSHIELD	1 x 8877	—	1 x 8877	—
SIZE	2.5 modules			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 850K		2 x 850K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
SIZE	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	—		1 X 316N	
PACKAGING	Giftbox			
SIZE	41.5x17x15cm		18x24x54cm	

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

6256

3.5" conventional videophone



	VK8KC-1/6256	VK8KC-1S/6256	VK8KC-2/6256	VK8KC-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3.5Kg	4Kg	4.7Kg	5.2Kg

VK8KC/6256

6358

3.5" hands free videomonitor



	VK8KC-1/6358	VK8KC-1S/6358	VK8KC-2/6358	VK8KC-2S/6358
INDOOR STATION	1 x 6358		2 x 6358	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3.4Kg	3.9Kg	4.5Kg	5Kg

VK8KC/6358

6458

4.3" hands free videomonitor



	VK8KC-1/6458	VK8KC-1S/6458	VK8KC-2/6458	VK8KC-2S/6458
INDOOR STATION	1 x 6458		2 x 6458	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3.4Kg	3.9Kg	4.5Kg	5Kg

VK8KC/6458

6758

7" hands free videomonitor



	VK8KC-1/6758	VK8KC-1S/6758	VK8KC-2/6758	VK8KC-2S/6758
INDOOR STATION	1 x 6758		2 x 6758	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3.5Kg	4Kg	4.8Kg	5.3Kg

VK8KC/6758

¹ A button can have multiple functions
² To be ordered separately

VK4K Series Videokit

One way or two way





6 WIRE
BUS



Intercom.



Wide camera
opt.



	VK4K-1	VK4K-1S	VK4K-2	VK4K-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4833-1		1 x 4833-1D	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 850K		2 x 850K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
SIZE	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	—		1 X 316N	
PACKAGING	Giftbox			
SIZE	31x17x13cm		25.3x24.4x18.3cm	

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

6256

3.5" conventional videophone



	VK4K-1/6256	VK4K-1S/6256	VK4K-2/6256	VK4K-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg

VK4K/6256

6358

3.5" hands free videomonitor



	VK4K-1/6358	VK4K-1S/6358	VK4K-2/6358	VK4K-2S/6358
INDOOR STATION	1 x 6358		2 x 6358	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	2.3Kg	2.6Kg	3.4Kg	3.7Kg

VK4K/6358

6458

4.3" hands free videomonitor



	VK4K-1/6458	VK4K-1S/6458	VK4K-2/6458	VK4K-2S/6458
INDOOR STATION	1 x 6458		2 x 6458	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/ Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.6Kg	3.8Kg

VK4K/6458

6758

7" hands free videomonitor



	VK4K-1/6758	VK4K-1S/6758	VK4K-2/6758	VK4K-2S/6758
INDOOR STATION	1 x 6758		2 x 6758	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/ Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg

VK4K/6758

¹ A button can have multiple functions
² To be ordered separately

VK4KC Series Videocode

One way or two way videokit
with codelock



6 WIRE
BUS





Codelock
unit



Intercom.



Wide camera
opt.



	VK4KC-1	VK4KC-1S	VK4KC-2	VK4KC-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4833-1		1 x 4833-1D	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x 4800M			
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ²	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 850K		2 x 850K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
SIZE	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	—		1 X 316N	
PACKAGING	Giftbox			
SIZE	41.5x17x15cm		18x24x54cm	

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

6256

3.5" conventional videophone



	VK4KC-1/6256	VK4KC-1S/6256	VK4KC-2/6256	VK4KC-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3Kg	3.5Kg	4.2Kg	4.7Kg

VK4KC/6256

6358

3.5" hands free videomonitor



	VK4KC-1/6358	VK4KC-1S/6358	VK4KC-2/6358	VK4KC-2S/6358
INDOOR STATION	1 x 6358		2 x 6358	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg

VK4KC/6358

6458

4.3" hands free videomonitor



	VK4KC-1/6458	VK4KC-1S/6458	VK4KC-2/6458	VK4KC-2S/6458
INDOOR STATION	1 x 6458		2 x 6458	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/ Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg

VK4KC/6458

6758

7" hands free videomonitor



	VK4KC-1/6758	VK4KC-1S/6758	VK4KC-2/6758	VK4KC-2S/6758
INDOOR STATION	1 x 6758		2 x 6758	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/ Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3Kg	3.5Kg	4.2Kg	4.9Kg

VK4KC/6758

¹ A button can have multiple functions
² To be ordered separately

VRVK Series Videokit

One way or two way



6 WIRE
BUS





Vandal
resistant



Intercom.



Wide camera
opt.



	VRVK-1	VRVK-1S	VRVK-2	VRVK-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION	4000 Series Vandal resistant			
CAMERA MODULE	1 x VR4KCMC			
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
SPEAKER UNIT MODULE	1 x VR4KAMK-1		1 x VR4KAMK-2	
LEDs	3: Speak, Busy, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ²	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 850K		2 x 850K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
SIZE	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	—		1 X 316N	
PACKAGING	Giftbox			
SIZE	31x17x13cm		25.3x24.4x18.3cm	

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening
VANDAL RESISTANT	IK Rate 07

6256

3.5" conventional videophone



	VRVK-1/6256	VRVK-1S/6256	VRVK-2/6256	VRVK-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3.2Kg	3.6Kg	4.5Kg	4.9Kg

VRVK/6256

6358

3.5" hands free videomonitor



	VRVK-1/6358	VRVK-1S/6358	VRVK-2/6358	VRVK-2S/6358
INDOOR STATION	1 x 6358		2 x 6358	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4.2Kg	4.7Kg

VRVK/6358

6458

4.3" hands free videomonitor



	VRVK-1/6458	VRVK-1S/6458	VRVK-2/6458	VRVK-2S/6458
INDOOR STATION	1 x 6458		2 x 6458	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3.2Kg	3.6Kg	4.4Kg	4.8Kg

VRVK/6458

6758

7" hands free videomonitor



	VRVK-1/6758	VRVK-1S/6758	VRVK-2/6758	VRVK-2S/6758
INDOOR STATION	1 x 6758		2 x 6758	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3.3Kg	3.7Kg	4.5Kg	4.9Kg

VRVK/6758

¹ A button can have multiple functions
² To be ordered separately

VRVKC Series Videocode

One way or two way videokit
with codelock



6 WIRE
BUS



Vandal
resistant





Codelock
unit



Intercom.



Wide camera
opt.



	VRVKC-1	VRVKC-1S	VRVKC-2	VRVKC-2S
CONNECTION	6 WIRE BUS			
OUTDOOR STATION	4000 Series Vandal resistant			
CAMERA MODULE	1 x VR4KCMC			
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
SPEAKER UNIT MODULE	1 x VR4KAMK-1		1 x VR4KAMK-2	
LEDs	3: Speak, Busy, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x VR4KCLM			
CODES / RELAYS	2 / 2			
ILLUMINATION	No			
MOUNTING BOX	1 x 4853	1 x 4883	1 x 4853	1 x 4883
RAINSHIELD OPT. ²	4873	4893	4873	4893
SIZE	3 modules			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 850K		2 x 850K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
SIZE	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	—		1 X 316N	
PACKAGING	Giftbox			
SIZE	18x24x54cm			

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening
VANDAL RESISTANT	IK Rate 07

6256

3.5" conventional videophone



	VRVKC-1/6256	VRVKC-1S/6256	VRVKC-2/6256	VRVKC-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	4.1Kg	4.7Kg	5.3Kg	5.9Kg

VRVKC/6256

6358

3.5" hands free videomonitor



	VRVKC-1/6358	VRVKC-1S/6358	VRVKC-2/6358	VRVKC-2S/6358
INDOOR STATION	1 x 6358		2 x 6358	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3.8Kg	4.7Kg	5.1Kg	5.8Kg

VRVKC/6358

6458

4.3" hands free videomonitor



	VRVKC-1/6458	VRVKC-1S/6458	VRVKC-2/6458	VRVKC-2S/6458
INDOOR STATION	1 x 6458		2 x 6458	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	4.1Kg	4.7Kg	5.1Kg	5.8Kg

VRVKC/6458

6758

7" hands free videomonitor



	VRVKC-1/6758	VRVKC-1S/6758	VRVKC-2/6758	VRVKC-2S/6758
INDOOR STATION	1 x 6758		2 x 6758	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	4.1Kg	4.7Kg	5.3Kg	6.1Kg


VRVKC/6758

¹ A button can have multiple functions
² To be ordered separately

ESVK Series Videokit

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way system





**2 WIRE
BUS**



Intercom.



**Wide camera
opt.**



	ESVK-1	ESVK-1S	ESVK-2	ESVK-2S
CONNECTION	2 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4333-1		1 x 4333-2	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	31x17x13cm		25.3x24.4x18.3cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances exchanger Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

6286

3.5" conventional videophone



	ESVK-1/6286	ESVK-1S/6286	ESVK-2/6286	ESVK-2S/6286
INDOOR STATION	1 x 6286		2 x 6286	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicating call, Camera recall/Camera switch			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.8Kg	3.1Kg

ESVK/6286

6388

3.5" hands free videomonitor



	ESVK-1/6388	ESVK-1S/6388	ESVK-2/6388	ESVK-2S/6388
INDOOR STATION	1 x 6388		2 x 6388	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg

ESVK/6388

6488

4.3" hands free videomonitor



	ESVK-1/6488	ESVK-1S/6488	ESVK-2/6488	ESVK-2S/6488
INDOOR STATION	1 x 6488		2 x 6488	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT.²	64931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg

ESVK/6488

6788

7" hands free videomonitor



	ESVK-1/6788	ESVK-1S/6788	ESVK-2/6788	ESVK-2S/6788
INDOOR STATION	1 x 6788		2 x 6788	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.9Kg	3.2Kg

ESVK/6788

¹ A button can have multiple functions
² To be ordered separately

ESVK Series Videokit

Kristallo® Series

Pure two wire one way or two way system





**2 WIRE
BUS**



Intercom.



**Wide camera
opt.**



	ESVK-1	ESVK-1S	ESVK-2	ESVK-2S
CONNECTION	2 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4333-1		1 x 4333-2	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	31x17x13cm		25.3x24.4x18.3cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances exchanger Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

KRV86

3.5" conventional and hands free videomonitor



	ESVK-1/KRV86	ESVK-1S/KRV86	ESVK-2/KRV86	ESVK-2S/KRV86
INDOOR STATION	1 x KRV86		2 x KRV86	
SERIES	Kristallo® Series			
DISPLAY	3.5" Hi-Res colour LCD TFT OSD			
CONVENTIONAL/ HANDS FREE	Conventional and hands free			
BUTTONS/ SERVICES¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	/W white - /B black			
DESKTOP KIT OPT.²	KRV931			
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg

ESVK/KRV86

KRV88

3.5" hands free videomonitor



	ESVK-1/KRV88	ESVK-1S/KRV88	ESVK-2/KRV88	ESVK-2S/KRV88
INDOOR STATION	1 x KRV88		2 x KRV88	
SERIES	Kristallo® Series			
DISPLAY	3.5" Hi-Res colour LCD TFT OSD			
CONVENTIONAL/ HANDS FREE	Hands free			
BUTTONS/ SERVICES¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface Flush (requires KRV981² or KRV983²)			
FINISHING	/W white - /B black			
PACKAGING WEIGHT	2.4Kg	2.7Kg	2.8Kg	3.1Kg

ESVK/KRV88

KRV782

7" hands free videomonitor



	ESVK-1/KRV782	ESVK-1S/KRV782	ESVK-2/KRV782	ESVK-2S/KRV782
INDOOR STATION	1 x KRV782		2 x KRV782	
SERIES	Kristallo® Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL/ HANDS FREE	Hands free			
BUTTONS/ SERVICES¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjustment, Brightness and hue adjustment			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Not available			
ADJUSTMENT	Melody volume, speech volume, hue, contrast, brightness			
PROGRAMMING	Date & time, Privacy duration, melody type, number of rings, intercommunicating call			
MOUNTING	Surface Flush (requires KRV7981² or KRV7983²)			
FINISHING	/W white - /B black			
DESKTOP KIT OPT.²	KRV7931			
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg

ESVK/KRV782

¹ A button can have multiple functions
² To be ordered separately

ESVKC Series Videocode

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way videokit with codelock



2 WIRE
BUS



Codelock
unit



Intercom.



Wide camera
opt.



	ESVKC-1	ESVKC-1S	ESVKC-2	ESVKC-2S
CONNECTION	2 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4333-1		1 x 4333-2	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x 4800M			
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ²	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
POWER SUPPLY CONV.	1 x 2322			
INPUT/OUTPUT/MA	BUS line / 12Vdc / 100mA			
SIZE	Plastic box (50x60x20mm)			
MOUNTING	Direct wall fixing			
PACKAGING	Giftbox			
SIZE	41.5x17x15cm		18x24x54cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances exchanger Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

6286

3.5" conventional videophone



	ESVKC-1/6286	ESVKC-1S/6286	ESVKC-2/6286	ESVKC-2S/6286
INDOOR STATION	1 x 6286		2 x 6286	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicating call, Camera recall/Camera switching call, camera recall			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.4Kg	3.8Kg

ESVKC/6286

6388

3.5" hands free videomonitor



	ESVKC-1/6388	ESVKC-1S/6388	ESVKC-2/6388	ESVKC-2S/6388
INDOOR STATION	1 x 6388		2 x 6388	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy/bus relay activation, Door-open/Intercommunicating call, Answer/Camera recall			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.3Kg	3.2Kg	3.6Kg

ESVKC/6388

6488

4.3" hands free videomonitor



	ESVKC-1/6488	ESVKC-1S/6488	ESVKC-2/6488	ESVKC-2S/6488
INDOOR STATION	1 x 6488		2 x 6488	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/ Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3Kg	3.4Kg	3.3Kg	3.7Kg

ESVKC/6488

6788

7" hands free videomonitor



	ESVKC-1/6788	ESVKC-1S/6788	ESVKC-2/6788	ESVKC-2S/6788
INDOOR STATION	1 x 6788		2 x 6788	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3Kg	3.4Kg	3.4Kg	3.9Kg


ESVKC/6788

¹ A button can have multiple functions
² To be ordered separately

ESVKC Series Videocode

Kristallo® Series

Pure two wire one way or two way videokit with codelock



2 WIRE
BUS



Codelock
unit



Intercom.



Wide camera
opt.



	ESVKC-1	ESVKC-1S	ESVKC-2	ESVKC-2S
CONNECTION	2 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4333-1		1 x 4333-2	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
CODELOCK UNIT	1 x 4800M			
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ²	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
POWER SUPPLY CONV.	1 x 2322			
INPUT/OUTPUT/MA	BUS line / 12Vdc / 100mA			
SIZE	Plastic box (50x60x20mm)			
MOUNTING	Direct wall fixing			
PACKAGING	Giftbox			
SIZE	41.5x17x15cm		18x24x54cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances exchanger Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

KRV86

3.5" conventional and hands free videomonitor



	ESVKC-1/KRV86	ESVKC-1S/KRV86	ESVKC-2/KRV86	ESVKC-2S/KRV86
INDOOR STATION	1 x KRV86		2 x KRV86	
SERIES	Kristallo® Series			
DISPLAY	3.5" Hi-Res colour LCD TFT OSD			
CONVENTIONAL/ HANDS FREE	Conventional and hands free			
BUTTONS/ SERVICES¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch			
LEDS	3: door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	/W white - /B black			
DESKTOP KIT OPT.²	KRV931			
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.7Kg	4.1Kg

ESVVC/KRV86

KRV88

3.5" hands free videomonitor



	ESVKC-1/KRV88	ESVKC-1S/KRV88	ESVKC-2/KRV88	ESVKC-2S/KRV88
INDOOR STATION	1 x KRV88		2 x KRV88	
SERIES	Kristallo® Series			
DISPLAY	3.5" Hi-Res colour LCD TFT OSD			
CONVENTIONAL/ HANDS FREE	Hands free			
BUTTONS/ SERVICES¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch			
LEDS	3: door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface Flush (requires KRV981² or KRV983²)			
FINISHING	/W white - /B black			
PACKAGING WEIGHT	3Kg	3.4Kg	3.4Kg	3.8Kg

ESVVC/KRV88

KRV782

7" hands free videomonitor



	ESVKC-1/KRV782	ESVKC-1S/KRV782	ESVKC-2/KRV782	ESVKC-2S/KRV782
INDOOR STATION	1 x KRV782		2 x KRV782	
SERIES	Kristallo® Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL/ HANDS FREE	Hands free			
BUTTONS/ SERVICES¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjustment, Brightness and hue adjustment			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Not available			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface Flush (requires KRV7981² or KRV7983²)			
FINISHING	/W white - /B black			
DESKTOP KIT OPT.²	KRV7931			
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.7Kg	4.1Kg


ESVVC/KRV782

¹ A button can have multiple functions
² To be ordered separately

ESVKX Series Videokit

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way system with integrated proximity access control



2 WIRE
BUS





Proximity
reader



Intercom.



Wide camera
opt.



	ESVKX-1	ESVKX-1S	ESVKX-2	ESVKX-2S
CONNECTION	2 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4333X-1		1 x 4333X-2	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
KEYS / RELAYS	Up to 50 / 1			
FOBS	1 x 955/C card format 2 x 955/T tag format		1 x 955/C card format 4 x 955/T tag format	
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	31x17x13cm		25.3x24.4x18.3cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances exchanger Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
INTEGRATED PROXIMITY ACCESS	Up to 50 users
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

6286

3.5" conventional videophone



	ESVIX-1/6286	ESVIX-1S/6286	ESVIX-2/6286	ESVIX-2S/6286
INDOOR STATION	1 x 6286		2 x 6286	
SERIES	6200 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Conventional			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicating call, Camera recall/Camera switch			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.8Kg	3.1Kg

ESVIX/6286

6388

3.5" hands free videomonitor



	ESVIX-1/6388	ESVIX-1S/6388	ESVIX-2/6388	ESVIX-2S/6388
INDOOR STATION	1 x 6388		2 x 6388	
SERIES	6300 Series			
DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg

ESVIX/6388

6488

4.3" hands free videomonitor



	ESVIX-1/6488	ESVIX-1S/6488	ESVIX-2/6488	ESVIX-2S/6488
INDOOR STATION	1 x 6488		2 x 6488	
SERIES	6400 Series			
DISPLAY	4.3" Hi-Res colour LCD TFT			
CONVENTIONAL /HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg

ESVIX/6488

6788

7" hands free videomonitor



	ESVIX-1/6788	ESVIX-1S/6788	ESVIX-2/6788	ESVIX-2S/6788
INDOOR STATION	1 x 6788		2 x 6788	
SERIES	6700 Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.9Kg	3.2Kg

ESVIX/6788

¹ A button can have multiple functions
² To be ordered separately

ESVKX Series Videokit

Kristallo® Series

Pure two wire one way or two way system with integrated proximity access control



2 WIRE
BUS



Proximity
reader



Intercom.



Wide camera
opt.



	ESVKX-1	ESVKX-1S	ESVKX-2	ESVKX-2S
CONNECTION	2 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4333X-1		1 x 4333X-2	
CAMERA TYPE	Day/Night colour camera with infrared illumination LEDs			
WIDE CAMERA OPT.	Available			
LEDs	4: Busy, Ring, Speak, Door Open			
CALL BUTTONS	1		2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone			
KEYS / RELAYS	Up to 50 / 1			
FOBS	1 x 955/C card format 2 x 955/T tag format		1 x 955/C card format 4 x 955/T tag format	
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
SIZE	31x17x13cm		25.3x24.4x18.3cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances exchanger Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
INTEGRATED PROXIMITY ACCESS	Up to 50 users
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PROGRAMMABLE TIMES	Conversation and Door Opening

KRV86

3.5" conventional and hands free videomonitor



	ESVKX-1/KRV86	ESVKX-1S/KRV86	ESVKX-2/KRV86	ESVKX-2S/KRV86
INDOOR STATION	1 x KRV86		2 x KRV86	
SERIES	Kristallo® Series			
DISPLAY	3.5" Hi-Res colour LCD TFT OSD			
CONVENTIONAL/ HANDS FREE	Conventional and hands free			
BUTTONS/ SERVICES¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	/W white - /B black			
DESKTOP KIT OPT.²	KRV931			
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg

ESVKX/KRV86

KRV88

3.5" hands free videomonitor



	ESVKX-1/KRV88	ESVKX-1S/KRV88	ESVKX-2/KRV88	ESVKX-2S/KRV88
INDOOR STATION	1 x KRV88		2 x KRV88	
SERIES	Kristallo® Series			
DISPLAY	3.5" Hi-Res colour LCD TFT OSD			
CONVENTIONAL/ HANDS FREE	Hands free			
BUTTONS/ SERVICES¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch			
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface Flush (requires KRV981² or KRV983²)			
FINISHING	/W white - /B black			
PACKAGING WEIGHT	2.4Kg	2.7Kg	2.8Kg	3.1Kg

ESVKX/KRV88

KRV782

7" hands free videomonitor



	ESVKX-1/KRV782	ESVKX-1S/KRV782	ESVKX-2/KRV782	ESVKX-2S/KRV782
INDOOR STATION	1 x KRV782		2 x KRV782	
SERIES	Kristallo® Series			
DISPLAY	7" Hi-Res colour LCD TFT			
CONVENTIONAL/ HANDS FREE	Hands free			
BUTTONS/ SERVICES¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjustment, Brightness and hue adjustment			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Not available			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface Flush (requires KRV7981² or KRV7983²)			
FINISHING	/W white - /B black			
DESKTOP KIT OPT.²	KRV7931			
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg

ESVKX/KRV782

¹ A button can have multiple functions
² To be ordered separately

8000 SERIES AUDIO AND VIDEO OUTDOOR STATIONS



Finishes

FRONT PLATE



Standard version
Mirror stainless steel



/A Aluminium
*When ordering put /A
after the code*

MODULE SUPPORT PLUS RAINSHIELD AND SURFACE MOUNTING BOX



Standard version
Aluminium



/BL Black
*When ordering put /BL
after the code*

MODULE SUPPORT



Standard version
Aluminium



/BL Black
*When ordering put /BL
after the code*

RAINSHIELD (OPTIONAL)



Standard version
Aluminium



/BL Black
*When ordering put /BL
after the code*


Audio outdoor stations measurements (in mm)

	1 MODULE	2 MODULES
FLUSH MOUNTING	Without rainshield With rainshield 8871	Without rainshield With rainshield 8872
SURFACE MOUNTING		

Video outdoor station measurements (in mm)

	1.5 MODULE	2.5 MODULES
FLUSH MOUNTING		
SURFACE MOUNTING		

4000 SERIES AUDIO AND VIDEO OUTDOOR STATIONS



Finishes

FRONT PLATE



Standard version
Mirror stainless steel



/A Anodized Aluminium
When ordering put **/A**
after the code



/HB PVD High Brass
When ordering put **/HB**
after the code



Vandal resistant version
Brushed stainless steel

MODULE SUPPORT FRAME



Standard version
Embossed metallized
gun-metal grey















/C Silver chromium plating
When ordering put **/C**
after the code



/G Gold chromium plating
When ordering put **/G**
after the code

Audio and video outdoor station measurements (in mm)

	FLUSH MOUNTING		SURFACE MOUNTING	
1 MODULE	 Without rainshield	 With rainshield 4871	 Without rainshield	 With rainshield 4891
2 MODULES	 Without rainshield	 With rainshield 4872	 Without rainshield	 With rainshield 4872
3 MODULES (ONLY VR/KC)	 Without rainshield	 With rainshield 4873	 Without rainshield	 With rainshield 4893

SMART, MINI AND SLIM SERIES AUDIO OUTDOOR STATIONS




Finishes for SMK, ESK and MK audiokits

FRONT PLATE



/A Aluminium
When ordering put **/A**
after the code



/G Gold
When ordering put **/G**
after the code



/W White
When ordering put **/W**
after the code


SMK, ESK, MK and SLK audiokits outdoor station measurements (in mm)

	FLUSH MOUNTING	SURFACE MOUNTING
SMK - ESK	Without rainshield With rainshield 371	
MK		
SLK		


6200, 6300, 6400 AND 6700 SERIES

INDOOR STATIONS

6200 SERIES


**6256****6286**

6300 SERIES


**6358****6388**

DISPLAY	3.5" Hi-Res colour LCD TFT			
CONVENTIONAL / HANDS FREE	Conventional		Hands free	
CONNECTION	6 WIRE BUS	2 WIRE BUS	6 WIRE BUS	2 WIRE BUS
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicating call, Camera recall/Camera switch	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/ Push to talk	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/ Push to talk
LEDS	2: Door open, Privacy ON	3: Door open, Privacy ON, ON		
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness		Call tone volume, Speech volume, Hue, Contrast, Brightness	
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call	Privacy duration, Melody type, Number of rings, Intercommunicating call	Privacy duration, Number of rings, Intercommunicating call	Privacy duration, Melody type, Number of rings, Intercommunicating call
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931		63931	

6400 SERIES

**6458****6488**

6700 SERIES


**6758****6788**

DISPLAY	4.3" Hi-Res colour LCD TFT		7" Hi-Res colour LCD TFT	
CONVENTIONAL / HANDS FREE	Hands free			
CONNECTION	6 WIRE BUS	2 WIRE BUS	6 WIRE BUS	2 WIRE BUS
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/ Intercommunicating call, Answer/OFF/Camera recall/ Push to talk	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercom- municating call, Answer/OFF/ Camera recall/Push to talk	4: Service, Privacy, Door-open/ Intercommunicating call, Answer/OFF/Camera recall/ Push to talk	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/ Push to talk
LEDS	3: Door open, Privacy ON, ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory		Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card	
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call	Privacy duration, Melody type, Number of rings, Intercommunicating call	Privacy duration, Number of rings, Intercommunicating call	Privacy duration, Melody type, Number of rings, Intercommunicating call
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931		67931	


¹ A button can have multiple functions
² To be ordered separately

KRISTALLO® SERIES INDOOR STATIONS

Kristallo®

**KRV86****KRV88**

DISPLAY	3.5" Hi-Res colour LCD TFT	
CONVENTIONAL / HANDS FREE	Conventional/Hands free	Hands free
CONNECTION	2 WIRE BUS	
BUTTONS / SERVICES¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch	
LEDS	3: door open, Privacy ON, ON	
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card	
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness	
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call	
MOUNTING	Surface	Surface Flush (require KRV981² or KRV983²)
FINISHING	/W White - /B Black	
DESKTOP KIT OPT.²	KRV931	Not available

**KRV782**

DISPLAY	7" Hi-Res colour LCD TFT
CONVENTIONAL / HANDS FREE	Hands free
CONNECTION	2 WIRE BUS
BUTTONS / SERVICES¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjustment, Brightness and hue adjustment
LEDS	2: Door open, Privacy ON
MEMORY BOARD OPT.	Not available
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call
MOUNTING	Surface Flush (require KRV7981² or KRV7983²)
FINISHING	/W White - /B Black
DESKTOP KIT OPT.²	KRV7931

Finishes



/W White
When ordering put **/W**
after the code




/B Black
When ordering put **/B**
after the code

¹ A button can have multiple functions
² To be ordered separately


3600 AND 5000 SERIES INDOOR STATIONS

3600 SERIES



	3656	3686
DISPLAY	3.5" Hi-Res colour LCD TFT	
CONVENTIONAL / HANDS FREE	Conventional	
CONNECTION	6 WIRE BUS	2 WIRE BUS
BUTTONS / SERVICES¹	3: Camera recall, Door-open/Intercommunicating call, Privacy	3: Camera recall/Camera switch, Door-open/Dry contact relay/Intercommunicating call, Privacy/Bus relay activation
LEDS	3: Door open, Privacy ON, ON	
MEMORY BOARD OPT.	Not available	
ADJUSTMENT	Call tone volume, Hue, Brightness	Call tone volume, Hue, Contrast, Brightness
PROGRAMMING	Privacy duration, Number of rings	Privacy duration, Melody type, Number of rings, Intercommunicating call
MOUNTING	Surface	
FINISHING	Gloss white	
DESKTOP KIT OPT.²	36931	

5000 SERIES




	5456
DISPLAY	3.5" Hi-Res colour LCD TFT
CONVENTIONAL / HANDS FREE	Hands free
CONNECTION	6 WIRE BUS
BUTTONS / SERVICES¹	6: Answer/Push to talk/OFF, Privacy, Door-open/Intercommunicating call, 3 Service buttons
LEDS	4: Door open, Privacy ON, ON, Service
MEMORY BOARD OPT.	Yes, up to 512 pictures stored in built in memory
ADJUSTMENT	Call tone volume, Speech volume, Hue, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings
MOUNTING	Surface Flush (require 5981N ² or 5983N ²)
FINISHING	Gloss white (Standard) /CR Silver /CA Carbon Fibre Effect
DESKTOP KIT OPT.²	5931


Finishes



Gloss white
(Standard)



/CR Silver
When ordering put /CR
after the code



/CA Carbon Fibre Effect
When ordering put /CA
after the code

¹ A button can have multiple functions
² To be ordered separately

Terms and conditions of sale

1) DEFINITIONS

In this document the following words shall have the following meanings:

- a. "Buyer" means the organisation or person who buys Goods;
 - b. "Goods" means the items to be supplied to the Buyer by the Seller;
- Videx Electronics S.p.A. will be hereafter called "Videx".

2) GENERAL CONDITIONS

Any variation to these Terms and Conditions (including any special terms and conditions agreed between the parties) shall be inapplicable unless agreed in writing by Videx.

3) ORDERS

Any order sent to Videx implies the Buyers acceptance of all the conditions listed into this document.

Purchases are finalized when the Buyer receives the order confirmation from Videx.

After this confirmation, the order cannot be cancelled unless Videx explicitly agrees in writing.

4) PRICES

Price list is to be considered variable as it is subject to variations in production costs which are outside of the control of Videx.

Unless otherwise agreed in writing, prices shall be considered ex-works.

5) RETENTION OF TITLE

Title to the Goods shall not pass to the Buyer until Videx has been paid in full for the Goods.

6) RETURNED GOODS

Returned Goods will not be authorized unless agreed in writing by Videx. Authorized Goods will be accepted only if intact and in their original packaging. Goods not included in the price lists in force will not be accepted.

In case of accepted returned Goods a credit note, corresponding to the invoiced amount reduced by 30%, will be issued.

7) LIABILITY

- a. Videx will not be held responsible for damages arising from incorrect installations which do not comply with the specifications provided or for installations carried out by third parties, or for works carried out by third parties on behalf of the Buyer;
- b. Videx will make good, by repair or by supply of a replacement, defects which, under proper use, appear in the Goods within a period of 12 months after the Goods been sold and arise solely from faulty design, materials or workmanships; always provided that the defective parts have been acknowledged and so declared by Videx;
- c. Videx does not acknowledge any compensation for direct or indirect damages;
- d. All goods must be returned to Videx at Buyer's own expenses, until such time as these are tested Videx admits no liability for their condition;
- e. Videx admits no liabilities for defective parts caused by wear and tear;
- f. All Goods returned for repair must be accompanied by a note in writing stating the nature of the defect claimed, the date of purchase, the invoice number and should be clearly marked with the returning purchaser's full address;
- g. Any returned Goods claimed to be faulty by the Buyer and consequently tested and found to be working correctly by Videx, will be returned to the Buyer and a cost will be charged accordingly.

8) PAYMENT

Unless agreed in writing by Videx, the following general conditions apply:

- a. Payment Terms and Conditions will be specified on the invoice;
- b. Interest rates as per the banking conditions effective at the time will be charged on top of overdue payments;

9) GOVERNING LAW AND JURISDICTION

This Agreement shall be governed by and construed in accordance with the laws of the Republic of Italy. All the disputes arising out of or in connection with this Agreement shall be submitted to the exclusive jurisdiction of the Courts of Fermo (Italy).

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



VIDEX ELECTRONICS S.P.A.

Via del Lavoro, 1 - 63846 Monte Giberto (FM) Italy

Tel: (+39) 0734 631669 - Fax: (+39) 0734 632475

www.videx.it - info@videx.it

 facebook.com/videx.electronics



Main UK office:

VIDEX SECURITY LTD

1 Osprey Trinity Park

Trinity Way

LONDON E4 8TD

Phone: (+44) 0870 300 1240

Fax: (+44) 020 8523 5825

www.videxuk.com

marketing@videxuk.com



Northern UK office:

VIDEX SECURITY LTD

Unit 4-7

Chillingham Industrial Estate

Chapman Street

NEWCASTLE UPON TYNE - NE6 2XX

Tech Line: (+44) 0191 224 3174

Phone: (+44) 0870 300 1240

Fax: (+44) 0191 224 1559



Greece office:

VIDEX HELLAS Electronics

48 Filolaou Str.

11633 ATHENS

Phone: (+30) 210 7521028

(+30) 210 7521998

Fax: (+30) 210 7560712

www.videx.gr

videx@videx.gr



Danish office:

VIDEX DANMARK

Hammershusgade 15

DK-2100 COPENHAGEN

Phone: (+45) 39 29 80 00

Fax: (+45) 39 27 77 75

www.videx.dk

videx@videx.dk



Benelux office:

NESTOR COMPANY NV

E3 laan, 93

B-9800 Deinze

Phone: (+32) 9 380 40 20

Fax: (+32) 9 380 40 25

www.videx.be

info@videx.be



Dutch office:

NESTOR COMPANY BV

Business Center Twente (BCT)

Grotestraat, 64

NL-7622 GM Borne

www.videxintercom.nl

info@videxintercom.nl